# NORTH BYRON FLOODPLAIN RISK MANAGEMENT STUDY AND DRAFT PLAN TABLE OF CONTENTS

# **PAGE**

LIST OF	ACRONY	MS	i
ADOPT	ED TERMI	NOLOGY	i
EXECU	TIVE SUMI	MARY	1
1.	INTROD	UCTION	4
	1.1.	Study Area	4
	1.2.	The Floodplain Risk Management Process	4
	1.3.	Available Data	5
2.	NORTH	BYRON CATCHMENT	6
	2.1.	Overview	6
	2.2.	Social Characteristics	6
	2.3.	Vulnerable Properties	8
	2.4.	Environmental Features	9
	2.4.1.	Key water management issues	9
	2.4.2.	Environmental Values	9
	2.5.	Built Environment	9
	2.6.	Flood Behaviour	11
	2.6.1.	Marshalls Creek Flood Behaviour	11
	2.6.2.	Brunswick River Flood Behaviour	12
	2.6.3.	Simpsons Creek Flood Behaviour	12
	2.7.	Drainage Structures and Features	13
	2.7.1.	Mullumbimby	13
	2.7.2.	Brunswick Heads	14
3.	PREVIO	US FLOOD STUDIES AND INVESTIGATION	16
	3.1.	Brunswick Valley Floodplain Management Study, 1987	16
	3.2.	Flood Mitigation Options for Billinudgel, 1988	17
	3.3.	Brunswick River Floodplain Management Investigation, 1989	17
	3.4.	Mullumbimby Floodplain Management Study, 1989	18

	3.5.	Proposed Levees around South Golden Beach, 1989	19
	3.6.	Report on Feasibility of an EIS for North Ocean Shores Flood Outlet, 1	
	3.7.	Draft Mullumbimby Floodplain Management Plan, 1993	19
	3.8.	Marshalls Creek Floodplain Management Plan, 1997	20
	3.9.	North Byron Shire Flood Study, 2016	21
4.	FLOOD	STUDY MODELLING REVIEW AND UPDATE	22
	4.1.	Hydrologic Model	22
	4.2.	Hydraulic Model	23
	4.2.1.	Brunswick Heads Tidal Boundary Condition	24
	4.3.	Australian Rainfall and Runoff 2019 (ARR2019)	25
	4.4.	March 2017 Calibration Event	26
	4.5.	Design Event	26
5.	COMMU	INITY CONSULTATION	28
	5.1.	Community Questionnaire Results	28
	5.2.	Community Consultation on Draft FRMS	29
	5.2.1.	Drainage Maintenance	31
6.	FLOOD	PLAIN MANAGEMENT POLICY	32
	6.1.	NSW Flood Prone Land Policy	33
	6.2.	Section 10.7 Planning Certificates	34
	6.2.1.	Schedule 4 Planning Certificates	34
	6.3.	State Environmental Planning Policy (Exempt and Complying Develope Codes (2008))	
	6.3.1.	Housing Code	36
	6.4.	Summary of State Legislative and Planning Policies	38
	6.5.	Local Council Policy	39
	6.5.1.	Byron Local Environment Plan	39
	6.5.2.	Byron Shire Development Control Plan	40
	6.5.3.	Byron Shire Council Climate Change Strategic Planning Policy (CCSPI	P) 41
7.	EXISTIN	IG FLOOD ENVIRONMENT	42
	7.1.	Flood Behaviour Overview	42
	7.1.1.	Design Flood Data	42
	7.1.2.	Hydraulic Structures Blockage Sensitivity Assessment	42
	7.2.	Hydraulic and Hazard Classification	43
	7.3.	Flood Emergency Response Classifications	47

	7.4.	Access a	and Movement during Flood Events	48
	7.4.1.	Access F	Road Flooding	48
		7.4.1.1.	Evacuation Routes	48
		7.4.1.2.	Rising Road Access	51
	7.5.	Town Flo	ooding	52
	7.6.	First Eve	ent Flooded	52
	7.6.1.	Vulnerab	ole Properties	53
	7.6.2.	Critical In	nfrastructure	54
	7.7.	Isolated	Properties	54
	7.8.	Hot Spot	dentification	54
	7.8.1.	Mullumb	imby	54
	7.8.2.	Riverside	e Crescent, Brunswick Heads	55
	7.8.3.	New Brig	ghtonghton	56
	7.8.4.	Billinudg	el	58
8.	FUTURE	FLOOD I	ENVIRONMENT	60
	8.1.	Changes	s due to development	60
	8.1.1.	Zoning C	Categorisation	60
	8.1.2.	Develop	ment Potential	60
		8.1.2.1.	Byron Shire Council Residential Strategy, and Business a Industrial Strategy (2019)	
		8.1.2.2.	Marshalls Creek Floodplain Management Plan	61
	8.1.3.	Develop	ment Scenarios	61
	8.1.4.	Assessm	nent	62
		8.1.4.1.	Cumulative Development Scenario 1 Results	62
		8.1.4.2.	Cumulative Development Scenario 2 Results	62
	8.1.5.	Additiona	al Scenarios	63
		8.1.5.1.	Iteration 2 Additional Areas	63
		8.1.5.2.	Iteration 4 Additional Areas	67
	8.1.6.	Results .		70
		8.1.6.1.	Iteration 1 Results	70
		8.1.6.2.	Iteration 2 Results	70
		8.1.6.3.	Iteration 3 Results	71
		8.1.6.4.	Iteration 4 Results	71
		8.1.6.5.	Recommended No Fill Areas	72
	8.1.7.	Recomm	nendations	72

	8.2.	Changes due to climate variation	73
	8.2.1.	Impacts on Property Inundation and Flood Damages	74
	8.2.2.	Impact on Flood Hazard	75
9.	EXISTIN	G FLOOD MANAGEMENT MEASURES	76
	9.1.	Existing Structural Mitigation Measures	76
	9.2.	Flood Emergency Response Arrangements	77
	9.2.1.	Emergency Response Planning Documentation	77
	9.3.	Evacuation Planning	78
	9.3.1.	Billinudgel	79
	9.3.2.	Ocean Shores	80
	9.3.3.	South Golden Beach	80
	9.3.4.	New Brighton	81
	9.3.5.	Brunswick Heads	81
	9.3.6.	Mullumbimby	81
	9.3.7.	Evacuation Centre Capacity	83
		9.3.7.1. Brunswick Heads	83
		9.3.7.2. Ocean Shores, Billinudgel, South Golden Beach and New Brighton	83
		9.3.7.3. Mullumbimby	86
10.	ECONO	MIC IMPACT OF FLOODING	87
	10.1.	Overview	87
	10.2.	Flood Damages Assessment	88
	10.2.1.	Residential Properties	89
	10.2.2.	Non-residential – Commercial and Industrial	92
11.	FLOODP	PLAIN RISK MANAGEMENT MEASURES	93
	11.1.	Categories of Floodplain Risk Management Measures	93
	11.2.	Assessment Methodology	95
	11.3.	Community Input	96
	11.4.	Flood Modification Measures	96
	11.4.1.	Levees and Embankments	96
		Option BL – Billinudgel Levee	97
	11.4.2.	Temporary Flood Barriers	98
	11.4.3.	Channel Modification	99
		Option BP01 – Kings Creek Bypass Floodway	99
		Option BP02 – Saltwater Creek Upgrade	100

	Option DO – Dune Openings	101
	Option RW – Rock Wall Modifications	102
	Option TW – Removal of Brunswick River Training Walls	104
11.4.4.	Channel Maintenance	105
	Option BRM01 – Brunswick River Dredging at Mullumbimby	106
	Option BRM02 – Brunswick River and Tributaries	107
	Option MC – Marshalls Creek Dredging at Ocean Shores	109
11.4.5.	Drainage Modification	110
	Option AC – Avocado Court	111
	Option CDM – Detailed Catchment Drainage Model	112
11.4.6.	Drainage Maintenance	112
	Option FDC - Debris Control Measures for Federation Bridge and the Billinudgel Railway Bridge	113
11.4.7.	Hydraulic Structures	114
	Option GCW – Ocean Shores Golf Course Weir lowering	115
	Option BM – Billinudgel Infrastructure Improvements	115
11.4.8.	Flood Storage Areas	117
	Option SW – Saltwater Creek Flood Storage Area	117
11.4.9.	Dams	119
11.4.10	. Combined Options	119
	CB01 – Marshalls Creek Dredging (MC), Dune Openings (OO), Rock \ Modification (RW) and Kallaroo Circuit Bund Modification	
	Combined Option CB02 – Billinudgel Infrastructure (BM) and Billinudge Levee (BL)	
11.5.	Response Modifications	121
11.5.1.	RM01: Flood Emergency Management Planning	122
11.5.2.	RM02: Flood Warning and Emergency Response Strategies	122
	11.5.2.1. Flood Warning Network	123
	11.5.2.2. Opportunities for Increasing Available Warning Time	124
	11.5.2.3. Opportunities for Reducing Warning Time	124
11.5.3.	RM03: Improved Flood Access – River Street, New Brighton	125
11.5.4.	RM04: Improved Flood Access – Wilfred Street	128
11.5.5.	RM05: Road Closures, Early Notifications and Creek Crossing Deter	
	11.5.5.1. Automatic Road Closures and Boom Gates	129
	11.5.5.2. Automatic Warning Signs and Depth Indicators	130

	11.5.6.	RM06:	Community Flood Education	130
	11.5.7.	RM07:	Mullumbimby Evacuation Assessment	135
	11.6.	Property	Modification	136
	11.6.1.	PM01: \	Voluntary House Raising	136
	11.6.2.	PM02: \	Voluntary Purchase	138
	11.6.3.	PM03: I	Land Use Zoning	141
	11.6.4.	PM04: I	Flood Planning Levels	142
	11.6.5.	PM05: I	Flood Planning Area	143
	11.6.6.	PM06: I	Development Control Plan	144
	11.6.7.	PM07: I	Flood Proofing	147
	11.6.8.	PM08: I	Property Level Protection	148
	11.6.9.	PM09: \$	Section 10.7 Certificate	148
	11.6.10	. PM10: I	Use of fill for future development	150
	11.6.11	. PM11: I	nvestigate incompatible builds	150
12.	OPTION A	ASSESSIV	IENT	152
	12.1.	Detailed A	Assessment of Structural Options	152
	12.1.1.	Option	CB02 – Billinudgel Levee and Billinudgel Infrastructure	152
		12.1.1.1.	Option CB02 – Design	152
		12.1.1.1.	Option CB02 – Impacts	153
		12.1.1.2.	Option CB02 - Economic Assessment	153
	12.1.2.	Option	BM – Billinudgel Infrastructure Upgrade	154
		12.1.2.1.	Option BM – Design	154
		12.1.2.2.	Option BM – Impacts	155
		12.1.2.3.	Option BM - Economic Assessment	155
	12.1.3.	Option .	AC – Avocado Court Drainage Improvements	156
		12.1.3.1.	Option AC – Design	156
		12.1.3.1.	Option AC – Impacts	157
		12.1.3.2.	Option AC - Economic Assessment	157
	12.1.4.	Option	SC – Saltwater Creek Upgrade	158
		12.1.4.1.	Option SC2 – Removal of Myokum Street embankment and increased Jubilee Avenue culvert capacity	
		12.1.4.2.	Option SC2b – Removal of Myokum Street embankment, increased Jubilee Avenue culvert capacity and increased capacity	160
		12.1.4.3.	Option SC3 – Combination of BP02 and SC2	161
		12.1.4.4.	Option RR – Removal of Myokum Street embankment, incre	ased

		Jubilee Avenue culvert capacity and removal of railway embankment	162
	12.2.	Recommendations from Detailed Assessment	164
	12.3.	Multi-Criteria Assessment	164
	12.3.1.	Background	164
	12.3.2.	Results	166
13.	REFERE	NCES	168
Appendix	: A.	GLOSSARY	A.1
Appendix	В.	PREVIOUS FLOOD STUDIES AND INVESTIGATION	B.1
	B.1.	Brunswick Valley Floodplain Management Study Hydrology Report, 19	
	B.2.	Marshalls Creek Flood Study, 1986	B.1
	B.3.	Brunswick Valley Floodplain Management Study, 1987	B.1
	B.4.	Flood Mitigation Options for Billinudgel, 1988	B.2
	B.5.	Brunswick River Floodplain Management Investigation, 1989	B.2
	B.6.	Mullumbimby Floodplain Management Study, 1989	B.4
	B.7.	Proposed Levees around South Golden Beach, 1989	B.5
	B.8.	Marshalls Creek Dredging Investigations Stage 1 Report	B.5
	B.9.	Mullumbimby Floodplain Management Study Re-evaluation of Options	
	B.10.	Report on Feasibility of an EIS for North Ocean Shores Flood Outlet,	
	B.11.	Draft Mullumbimby Floodplain Management Plan, 1993	B.6
	B.12.	Draft Kallaroo Circuit Bund Culvert Amplification Hydraulic Impact Assessment, 1996	B.8
	B.13.	Brunswick River Tidal Data Collection, 2008	B.8
	B.14.	Marshalls Creek Floodplain Management Plan, 1997	B.8
	B.15.	North Byron Shire Flood Study, 2016	B.9
Appendix	C.	RAINFALL FREQUENCY ANALYSIS MEMORANDUM	C.1
Appendix	D.	ROUGHNESS SENSITIVITY	D.1
Appendix	E.	BEND LOSS SENSITIVITY	E.1
Appendix	F.	INITIAL AND CONTINUING LOSS SENSITIVITY	F.1
Appendix	G.	MARCH 2017 CALIBRATION EVENT AND MODEL REVIEW	G.1
Appendix	Н.	COMMUNITY CONSULTATION QUESTIONNAIRE	H.1
Appendix	: I.	COMMUNITY CONSULTATION RESULTS	I.1
Appendix	J.	INFORMATION TO SUPPORT EMERGENCY RESPONSE	J.1

Appendix	K.	TOWNSHIP FLOODING – LEVEL OF GAUGE AT FIRST FLOODING.	K.1
Appendix		HIGH LEVEL DESIGN DRAWINGS FOR DETAILED OPTIONS WENT	L.1
Appendix	M.	DETAILED OPTIONS ASSESSMENT - PEAK LEVEL DIFFERENCE	
Appendix		DETAILED OPTIONS ASSESSMENT – BENEFIT COST ATIONS	. <b>N.</b> 1
Appendix	Ο.	PEAK FLOOD HEIGHT FIGURES	0.1
Appendix		FUTURE DEVELOPMENT DATA USED IN THE ASSESSMENT OF DEVELOPMENT	. P.1
Appendix	Q.	MULTI-CRITERIA ASSESSMENT	Q.1
Appendix	R.	PRELIMINARY MITIGATION OPTIONS	. R.1
Appendix	S.	HYDRAULIC STRUCTURES AND BLOCKAGE ASSESSMENT	S.1
Appendix	T.	MODEL UPDATE - ADDITIONAL DEVELOPMENTS	T.1
Appendix		CUMULATIVE DEVELOPMENT SCENARIO – ITERATIONS AND	. U.1

# LIST OF TABLES

Table 1: Asessment of Floodplain Risk Management Options	2
Table 2: 2016 Census Data	7
Table 3: Breakdown of building type for residential buildings	11
Table 4: Combination of Catchment Flooding and Oceanic Inundation Scenarios	24
Table 5: Oceanic scenarios and catchment scenarios used for each design flood event.	26
Table 6: Design Flood Levels at Key Locations	42
Table 7: Floodway Definition Parameters	44
Table 8: Residential properties located in high hazard zones (H4 - H6) for each design floo	d event
	46
Table 9: Hazard Classification	46
Table 10: Response Required for Different Flood ERP Classifications	47
Table 11: ERP Categorisation for Hotspot Locations PMF event	48
Table 12: Flood Affected Evacuation routes Locations	50
Table 13: Inundation of Evacuations routes	51
Table 14: Flood Affected Road Locations	51
Table 15: Inundation of Access Road	52
Table 16: Total residential properties impacted by suburb for the PMF event	53
Table 17: Residential properties impacted by suburb for the 1% AEP event	53
Table 18: Vulnerable properties flooded above floor level	53
Table 19: Isolated houses for the full range of design flood events.	54
Table 20: Impact on Tangible Residential Damages and Above Floor Affectation, 1% AEI	P event
	75
Table 21: Estimated Brunswick Heads residents whi may require shelter based on the	census
average people per dwelling.	83
Table 22: Estimated Billinudgel residents who may require shelter based on the census a	ıverage
people per dwelling.	84
Table 23: Estimated New Brighton residents who may require shelter based on the	census
average people per dwelling.	84
Table 24: Estimated Ocean Shores residents who may require shelter based on the	census
average people per dwelling.	84
Table 25: Esimtated South Golden Beach residents who may require shelter based on the	census
average people per dwelling.	85
Table 26: Estimated Mullumbimby residents who may require shelter based on the	
average people per dwelling.	86
Table 27: Estimated Total Flood Damages (residential & non-residential) for North	
catchment	89
Table 28: Estimated Total Flood Damages (residential) for North Byron catchment	89
Table 29: Estimated Total Flood Damages (residential) for Billinudgel	90
Table 30: Estimated Total Flood Damages (residential) for Brunswick Heads	90
Table 31: Estimated Total Flood Damages (residential) for Mullumbimby	90
Table 32: Estimated Total Flood Damages (residential) for New Brighton	91
Table 33: Estimated Total Flood Damages (residential) for Ocean Shores	91
Table 34: Estimated Total Flood Damages (residential) for South Golden Beach	91
Table 35: Estimated Total Flood Damages (commercial and industrial) for North Byron cate	chment

Table 36: North Byron Catchment management long-list of options considered and i	nitial
assessment recommendations	93
Table 37: Properties experiencing above floor flooding with River Street as the only evacu	ation
route available.	126
Table 38: Methods to Increase Flood Awareness and Preparedness	131
Table 39: Properties potentially eligible for inclusion in Voluntary House Raising program	137
Table 40: Preliminary economic assessment of voluntary house raising program	138
Table 41: Properties potentially eligible for inclusion in Voluntary House Purchase program	140
Table 42: Voluntary House Purchase considerations	140
Table 43: Existing and Option CB02 Impacts on Property – Billinudgel Only	153
Table 44: Existing and Option BM Impacts on Property – Billinudgel Only	155
Table 45: Existing and Option AC Impacts on Property – Mullumbimby Only	157
Table 46: Existing and Option SC2 Impacts on Property – 1% AEP event, Mullumbimby Only	y159
Table 47: Existing and Option SC2b Impacts on Property – 1% AEP event, Mullumbimby	Only
	160
Table 48: Existing and Option SC3 Impacts on Property – 1% AEP event, Mullumbimby Only	y161
Table 49: Existing and Option RR Impacts on Property – 1% AEP event, Mullumbimby Only	163
Table 50: Matrix Scoring System	165

#### **APPENDICES:**

- Table J 1: Level at Federation Bridge Gauge when road overtops Brunswick Heads Route
- Table J 2: Level at Federation Bridge Gauge when road overtops Mullumbimby West
- Table J 3: Level at Federation Bridge Gauge when road overtops Mullumbimby East
- Table J 4: Level at Federation Bridge Gauge when road overtops Mullumbimby South
- Table J 5: Level at Billinudgel Gauge when road overtops New Brighton Evacuation Route
- Table J 6: Level at Billinudgel Gauge when road overtops Ocean Shores Evacuation Route
- Table J 7: Level at Billinudgel Gauge when road overtops South Golden Beach Route
- Table J 8: Level at Billinudgel Gauge when road overtops Billinudgel Evacuation Route
- Table K 1: Level at Federation Bridge Gauge at first flooding Mullumbimby and Brunswick Heads
- Table K 2:Time between Federation Bridge hitting minor and first flooding Mullumbimby and Brunswick Heads
- Table K 3: Level at Billinudgel Gauge at first flooding Billinudgel, New Brighton, Ocean Shores and South Golden Beach
- Table K 4: Time between Billinudgel Gauge hitting minor and first flooding Billinudgel, New Brighton, Ocean Shores and South Golden Beach

#### LIST OF FIGURES

- Figure 1: North Byron Study Area
- Figure 2: Vulnerable Properties within the North Byron Shire Study Area
- Figure 3: Land Use Planning in North Byron
- Figure 4: Peak Flood Depths 0.2 EY
- Figure 5: Peak Flood Depths 10% AEP
- Figure 6: Peak Flood Depths 5% AEP
- Figure 7: Peak Flood Depths 2 % AEP
- Figure 8: Peak Flood Depths 1% AEP
- Figure 9: Peak Flood Depths 0.5% AEP
- Figure 10: Peak Flood Depths 0.2% AEP
- Figure 11: Peak Flood Depths PMF
- Figure 12: Key Reporting Locations
- Figure 13: Flood Function 1% AEP
- Figure 14: Flood Function PMF
- Figure 15: Hydraulic Hazard 0.2 EY
- Figure 16: Hydraulic Hazard 10% AEP
- Figure 17: Hydraulic Hazard 5% AEP
- Figure 18: Hydraulic Hazard 2% AEP
- Figure 19: Hydraulic Hazard 1% AEP
- Figure 20: Hydraulic Hazard 0.5% AEP
- Figure 21: Hydraulic Hazard 0.2% AEP
- Figure 22: Hydraulic Hazard PMF
- Figure 23: Flood Emergency Repsonse Classification PMF
- Figure 24: Flood Emergency Repsonse Classification, Rising Road Access PMF
- Figure 25: Evacuation Centres and Identified Evacuation Routes
- Figure 26: Stage Hydrograph at Federation Bridge, Mullumbimby and Brunswick heads Flooding 1% AEP
- Figure 27: Stage Hydrograph at Billinudgel Gauge, Billinudgel, New Brighton and Ocean Shores Flooding 1% AEP
- Figure 28: Properties Flooded Above Floor Level
- Figure 29: Mullumbimby Properties Flooded Above Floor Level
- Figure 30: Brunswick Heads Properties Flooded Above Floor Level
- Figure 31: New Brighton Properties Flooded Above Floor Level
- Figure 32: Ocean Shores Properties Flooded Above Floor Level
- Figure 33: South Golden Beach Properties Flooded Above Floor Level
- Figure 34: Flood Exposure of Vulnerable Properties
- Figure 35: Isolated Areas 0.2 EY
- Figure 36: Isolated Areas 10% AEP
- Figure 37: Isolated Areas 5% AEP
- Figure 38: Isolated Areas 2% AEP
- Figure 39: Isolated Areas 1% AEP
- Figure 40: Isolated Areas 0.5% AEP
- Figure 41: Isolated Areas 0.2% AEP
- Figure 42: Isolated Areas PMF
- Figure 43: Cumulative Development 01 Roughness and Assumed Fill Area
- Figure 44: Cumulative Development 02 Roughness and Assumed Fill Area
- Figure 45: Peak Flood Difference Between CD01 & Design 1% AEP
- Figure 46: Peak Flood Difference Between CD02 & Design 1% AEP
- Figure 47: Peak Flood Difference Between CD01 & Design 0.5% AEP

- Figure 48: Peak Flood Difference Between CD02 & Design 0.5% AEP
- Figure 49: Peak Flood Difference Between CD01 & Climate Change Sensitivity Test 2 1% AEP
- Figure 50: Peak Flood Difference Between CD02 & Climate Change Sensitivity Test 2 1% AEP
- Figure 51: Peak Flood Depths 1%AEP Climate Change Sea Level Rise 2050
- Figure 52: Peak Flood Depths 1%AEP Climate Change Sea Level Rise 2100
- Figure 53: Peak Flood Depths 1%AEP Climate Change Sensitvity Test 1
- Figure 54: Peak Flood Depths 1%AEP Climate Change Sensitvity Test 2
- Figure 55: Peak Flood Depths 1%AEP Climate Change Sensitvity Test 3
- Figure 56: Peak Flood Depths 0.2%AEP Climate Change Sea Level Rise 2050
- Figure 57: Peak Flood Depths 0.2%AEP Climate Change Sea Level Rise 2100
- Figure 58: Peak Flood Depths 0.2%AEP Climate Change Sensitivity Test 1
- Figure 59: Peak Flood Depths 0.2%AEP Climate Change Sensitivity Test 2
- Figure 60: Peak Flood Depths PMF Climate Change Sea Level Rise 2050
- Figure 61: Peak Flood Depths PMF Climate Change Sea Level Rise 2100
- Figure 62: Peak Flood Depths PMF Climate Change Sensitivity Test 1
- Figure 63: Peak Flood Depths PMF Climate Change Sensitivity Test 2
- Figure 64: Peak Level Difference 1% AEP Climate Change Sea Level Rise 2050 versus existing 1% AEP
- Figure 65: Peak Level Difference 1% AEP Climate Change Sea Level Rise 2100 versus existing 1% AEP
- Figure 66: Peak Level Difference 1% AEP Climate Change Sensitivity Test 1 versus existing 1% AEP
- Figure 67: Peak Level Difference 1% AEP Climate Change Sensitivity Test 2 versus existing 1% AEP
- Figure 68: Peak Level Difference 1% AEP Climate Change Sensitivity Test 3 versus existing 1% AEP
- Figure 69: Peak Level Difference 0.2% AEP Climate Change Sea Level Rise 2050 versus existing 0.2% AEP
- Figure 70: Peak Level Difference 0.2% AEP Climate Change Sea Level Rise 2100 versus existing 0.2% AEP
- Figure 71: Peak Level Difference 0.2% AEP Climate Change Sensitivity Test 1 versus existing 0.2% AEP
- Figure 72: Peak Level Difference 0.2% AEP Climate Change Sensitivity Test 2 versus existing 0.2% AEP
- Figure 73: Peak Level Difference PMF Climate Change Sea Level Rise 2050 versus existing PMF
- Figure 74: Peak Level Difference PMF Climate Change Sea Level Rise 2100 versus existing PMF
- Figure 75: Peak Level Difference PMF Climate Change Sensitivity Test 1 versus existing PMF
- Figure 76: Peak Level Difference PMF Climate Change Sensitivity Test 2 versus existing PMF
- Figure 77: Hydraulic Hazard 1%AEP Climate Change Sea Level Rise 2050
- Figure 78: Hydraulic Hazard 1%AEP Climate Change Sea Level Rise 2100
- Figure 79: Hydraulic Hazard 1%AEP Climate Change Sensitivity Test 1
- Figure 80: Hydraulic Hazard 1%AEP Climate Change Sensitvitiy Test 2
- Figure 81: Hydraulic Hazard 1%AEP Climate Change Sensitivity Test 3
- Figure 82: Hydraulic Hazard 0.2%AEP Climate Change Sea Level Rise 2050
- Figure 83: Hydraulic Hazard 0.2%AEP Climate Change Sea Level Rise 2100
- Figure 84: Hydraulic Hazard 0.2%AEP Climate Change Sensitivity Test 1
- Figure 85: Hydraulic Hazard 0.2%AEP Climate Change Sensitivity Test 2
- Figure 86: Hydraulic Hazard PMF Climate Change Sea Level Rise 2050
- Figure 87: Hydraulic Hazard PMF Climate Change Sea Level Rise 2100
- Figure 88: Hydraulic Hazard PMF Climate Change Sensitivity Test 1

- Figure 89: Hydraulic Hazard PMF Climate Change Sensitivity Test 2
- Figure 90: Hydraulic Hazard 1%AEP Climate Change Sea Level Rise 2100 versus existing
- Figure 91: Hydraulic Hazard 1%AEP Climate Change Sea Level Rise 2100, 30% rainfall increase (Sensitivity Test 3) versus existing
- Figure 92: Newly Flooded Properties Climate Change Sensitvitiy 1% AEP
- Figure 93: Brunswick Heads, Newly Flooded Properties Climate Change Sensitvitiy 1% AEP
- Figure 94: Mullumbimby East, Newly Flooded Properties Climate Change Sensitvitiy 1% AEP
- Figure 95: Mullumbimby West, Newly Flooded Properties Climate Change Sensitvitiy 1% AEP
- Figure 96: Brunswick Heads North, Newly Flooded Properties Climate Change Sensitvitiy 1% AEP
- Figure 97: Billinudgel, Newly Flooded Properties Climate Change Sensitvitiy 1% AEP
- Figure 98: New Brighton, Newly Flooded Properties Climate Change Sensitvitiy 1% AEP
- Figure 99: Ocean Shores, Newly Flooded Properties Climate Change Sensitvitiy 1% AEP
- Figure 100: South Golden Beach, Newly Flooded Properties Climate Change Sensitvitiy 1% AEP
- Figure 101: South Golden Beach Levee Failure Peak Flood Difference 1% AEP
- Figure 102: South Golden Beach Levee Failure Peak Flood Difference PMF
- Figure 103: Option RM03, River Street Road Raising 1% AEP
- Figure 104: Option RM04, Wilfred Street Road Raising 1% AEP
- Figure 105: Land Use Zoning in High Flood Risk Areas
- Figure 106: Flood Hazard Overlay
- Figure 107: 2050 Flood Planning Level
- Figure 108: 2100 Flood Planning Level
- Figure 109: Flood Planning Area, Current 1% AEP + 500mm freeboard
- Figure 110: Flood Planning Area, 2100 + 500mm freeboard

#### **APPENDICES:**

- Figure J 1: Stage Hydrograph at Federation Bridge Gauge Brunswick Heads Evacuation Route 1% AEP
- Figure J 2: Long Profile Brunswick Heads Evacuation Route
- Figure J 3: Stage Hydrograph at Federation Bridge Gauge Mullumbimby East Evacuation Route 1% AEP
- Figure J 4: Long Profile Mullumbimby East Evacuation Route
- Figure J 5: Stage Hydrograph at Federation Bridge Gauge Mullumbimby West Evacuation Route 1% AEP
- Figure J 6: Long Profile Mullumbimby West Evacuation Route
- Figure J 7: Stage Hydrograph at Federation Bridge Gauge Mullumbimby South Evacuation Route 1% AEP
- Figure J 8: Long Profile Mullumbimby South Evacuation Route
- Figure J 9: Stage Hydrograph at Billinudgel Gauge New Brighton Evacuation Route 1 % AEP
- Figure J 10: Long Profile New Brighton Evacuation Route
- Figure J 11: Stage Hydrograph at Billinudgel Gauge Ocean Shores Evacuation Route 1% AEP
- Figure J 12: Long Profile Ocean Shores Evacuation Route
- Figure J 13: Stage Hydrograph at Billinudgel Gauge South Golden Beach 1% AEP
- Figure J 14: Long Profile South Golden Beach
- Figure J 15: Stage Hydrograph at Billinudgel Gauge Billindudgel Evacuation Route 1% AEP
- Figure J 16: Long Profile Billindudgel Evacuation Route
- Figure J 17: Evacuation Routes
- Figure L 1: Billinudgel Mitigation Option Levee Long Profile
- Figure L 2: Billinudgel Mitigation Option Typical Levee Cross Section
- Figure L 3: Billinudgel Mitigation Option Left Bank Rail Embankment Removal At Marshalls Creek
- Figure L 4: Avocado Court And Grevillea Avenue Mitigation Option Long Section

```
Figure M 1: Peak Flood Difference Option CB02 - 1% AEP
```

Figure M 2: Peak Flood Difference Option CB02 - Climate Change Sensitivity 2

Figure M 3: Peak Flood Difference Option BM2 - 1% AEP

Figure M 4: Peak Flood Difference Option BM2 - Climate Change Sensitivity 2

Figure M 5: Peak Flood Difference Option AC - 1% AEP

Figure M 6: Peak Flood Difference Option AC - Climate Change Sensitivity 2

Figure M 7: Peak Flood Difference Option SC2 - 1% AEP

Figure M 8: Peak Flood Difference Option SC2B - 1% AEP

Figure M 9: Peak Flood Difference Option RR - 1% AEP

Figure O 1: Peak Flood Levels - 10% AEP Event

Figure O 2: Peak Flood Levels - 10% AEP Event, Brunswick Heads North

Figure O 3: Peak Flood Levels - 10% AEP Event, Brunswick Heads South

Figure O 4: Peak Flood Levels – 10% AEP Event, Mullumbimby

Figure O 5: Peak Flood Levels - 10% AEP Event, Ocean Shores

Figure O 6: Peak Flood Levels – 10% AEP Event, South Golden Beach

Figure O 7: Peak Flood Levels – 1% AEP Event

Figure O 8: Peak Flood Levels – 1% AEP Event, Brunswick Heads North

Figure O 9: Peak Flood Levels - 1% AEP Event, Brunswick Heads South

Figure O 10: Peak Flood Levels – 1% AEP Event, Mullumbimby

Figure O 11: Peak Flood Levels – 1% AEP Event, Ocean Shores

Figure O 12: Peak Flood Levels – 1% AEP Event, South Golden Beach

Figure O 13: Peak Flood Levels - PMF Event

Figure O 14: Peak Flood Levels - PMF Event, Brunswick Heads North

Figure O 15: Peak Flood Levels - PMF Event, Brunswick Heads South

Figure O 16: Peak Flood Levels – PMF Event, Mullumbimby

Figure O 17: Peak Flood Levels - PMF Event, Ocean Shores

Figure O 18: Peak Flood Levels – PMF Event, South Golden Beach

Figure P 1: Land Use Zone Classification

Figure P 2: Vacant Undeveloped Possible New Residential Land

Figure P 3: Areas identified for future infill

Figure P 4: Billinudgel Consolidation and Mullumbimby Expansion

Figure P 5: Mullumbimby Release Areas Outputs

Figure P 6: Marshalls Creek No Fill Zones

Figure U 1: Peak Flood Difference between CD02 Iteration 1 (Floodway) and Design - 1% AEP

Figure U 2: Peak Flood Difference between CD02 Iteration 2 (Sensitive Areas) and Design - 1% AEP

Figure U 3: Peak Flood Difference between CD02 Iteration 3 (Floodway and Sensitive Areas) and Design – 1% AEP

Figure U 4: Peak Flood Difference between CD02 Iteration 2 (Additional Sensitive Areas) and Design - 1% AEP

Figure U 5: Recommended No Fill Areass Areas

Figure U 6: Peak Flood Difference between CD01 (Recommended No Fill Area) & Design - 1% AEP

Figure U 7: Peak Flood Difference between CD02 (Recommended No Fill Area) & Design - 1% AEP

Figure U 8: Peak Flood Difference between CD01 (Recommended No Fill Area) & Design – 0.5% AEP

Figure U 9: Peak Flood Difference between CD02 (Recommended No Fill Area) & Design - 0.5% AEP

Figure U 10: Peak Flood Difference between CD01 (Recommended No Fill Area) & Climate Change Sensitivity Test 2 - 1% AEP

Figure U 11: Peak Flood Difference between CD02 (Recommended No Fill Area) & Climate Change Sensitivity Test 2 - 1% AEP

## **LIST OF DIAGRAMS**

Diagram 1, Floodalain Diak Managament Process	1
Diagram 1: Floodplain Risk Management Process	
Diagram 2: Land Use breakdown in the Property Database	
Diagram 3: Mullumbimby main drainage feature	
Diagram 4: Brunswick Heads main drainage features	
Diagram 5 Hazard Classifications	
Diagram 6: Mullumbimby hotspot	
Diagram 7: Riverside Crescent hotspot	
Diagram 8: New Brighton hotspot	
Diagram 9: Casons Road, New Brighton hotspot	
Diagram 10: Billinudgel hotspot	
Diagram 11: Area near Azalea Street, Mullumbimby, identified as being sensitive to I	
changes (1% AEP event, CD02 scenario)	
Diagram 12: Area between Mullumbimby Creek and Brunswick River identified as being s	
to landform changes (1% AEP event, CD02 scenario)	
Diagram 13: Area within south Mullumbimby identified as being sensitive to landform	_
(1% AEP event, CD02 scenario)	
Diagram 14: Area near Chinbible Creek within Mullumbimby identified as being sen	
landform changes (1% AEP event, CD02 scenario)	
Diagram 15: Billinudgel identified as being sensitive to landform changes (1% AEP ever	
scenario)	
Diagram 16: Ocean Shores area identified as being sensitive to landform changes (1% AE	
CD02 scenario)	
Diagram 17: Ocean Shores additional area identified as being sensitive to landform chan	
AEP event, CD02 scenario)	
Diagram 18: Area in Mullumbimby near Jubilee Avenue identified as being sensitive to I	
changes (1% AEP event, CD02 scenario)	
Diagram 19: Area in Mullumbimby east of Queen Street identified as being sensitive to I	
changes (1% AEP event, CD02 scenario)	
Diagram 20: Area south of Towers Drive identified as being sensitive to landform change	ges (1%
AEP event, CD02 scenario)	70
Diagram 21: South Golden Beach Levee	77
Diagram 22: Flood Damages Categories	87
Diagram 23: Flood Mitigation Assessment Methodology	95
Diagram 24: Option BL - Billinudgel levee.	98
Diagram 25: Option BP01 - Diversion of floodwaters down Kings Creek	100
Diagram 26: Option BP02 - Saltwater Creek upgrade	101
Diagram 27: Option DO – Construction of Dune Openings	102
Diagram 28: Option RW - Rock wall modifications.	103

Diagram 29: Option TW - removal of Brunswick River training walls	104
Diagram 30: Option BRM01 - Mullumbimby dredging	106
Diagram 31: Option BRM02 - Mullumbimby and tributaries dredging	108
Diagram 32: Option MC - Marshalls Creek Dredging	109
Diagram 33: Option AC - Avocado Court Flow Path	111
Diagram 34: Option GCW – Lowering of the Golf Course weir	115
Diagram 35: Option BM - Billinudgel Infrastructure improvements	116
Diagram 36: Option SW – Saltwater Creek Flood Storage Area	118
Diagram 37: Option CB01 - combined flood modification measures	120
Diagram 38: The section of River Street that has been raised to the 1% AEP flood level	el 127
Diagram 39: Raising of Wilfred Street to the 1% AEP flood level	128
Diagram 40: Option BM – Billinudgel Infrastructure Upgrade	154
Diagram 41: Option AC – Avocado Court / Grevillea Avenue Drainage Upgrade	156
Diagram 42: Option SC2 - Removal of Myokum Street embankment and increased Jubi	lee Avenue
culvert capacity.	159
Diagram 43: Option SC2b - Removal of Myokum Street embankment, increased Jubi	lee Avenue
culvert capacity and increased capacity	160
Diagram 44: Option SC3 - Combination of BP02 and SC2	161
Diagram 45: Option RR - Removal of Myokum Street embankment, increased Jubil	ee Avenue
culvert capacity and removal of railway embankment	162



### LIST OF ACRONYMS

AEP Annual Exceedance Probability
ARI Average Recurrence Interval
ALS Airborne Laser Scanning
ARR Australian Rainfall and Runoff

BOM Bureau of Meteorology

DECC Department of Environment and Climate Change (now DPIE)

DNR Department of Natural Resources (now DPIE)

DPIE Department of Planning, Industry and Environment

DRM Direct Rainfall Method
DTM Digital Terrain Model

FRMS Floodplain Risk Management Study
FRMP Floodplain Risk Management Plan
GIS Geographic Information System

GPS Global Positioning System

IFD Intensity, Frequency and Duration (Rainfall)
mAHD meters above Australian Height Datum

OEH Office of Environment and Heritage (now DPIE)

PMF Probable Maximum Flood

SRMT Shuttle Radar Mission Topography

TUFLOW one-dimensional (1D) and two-dimensional (2D) flood and tide

simulation software (hydraulic model)

WBNM Watershed Bounded Network Model (hydrologic model)

#### ADOPTED TERMINOLOGY

Australian Rainfall and Runoff (ARR, ed Ball et al, 2016) recommends terminology that is not misleading to the public and stakeholders. Therefore the use of terms such as "recurrence interval" and "return period" are no longer recommended as they imply that a given event magnitude is only exceeded at regular intervals such as every 100 years. However, rare events may occur in clusters. For example there are several instances of an event with a 1% chance of occurring within a short period, for example the 1949 and 1950 events at Kempsey. Historically the term Average Recurrence Interval (ARI) has been used.

ARR 2016 recommends the use of Annual Exceedance Probability (AEP). Annual Exceedance Probability (AEP) is the probability of an event being equalled or exceeded within a year. AEP may be expressed as either a percentage (%) or 1 in X. Floodplain management typically uses the percentage form of terminology. Therefore a 1% AEP event or 1 in 100 AEP has a 1% chance of being equalled or exceeded in any year.

ARI and AEP are often mistaken as being interchangeable for events equal to or more frequent

i



than 10% AEP. The table below describes how they are subtly different.

For events more frequent than 50% AEP, expressing frequency in terms of Annual Exceedance Probability is not meaningful and misleading particularly in areas with strong seasonality. Therefore the term Exceedances per Year (EY) is recommended. Statistically a 0.5 EY event is not the same as a 50% AEP event, and likewise an event with a 20% AEP is not the same as a 0.2 EY event. For example an event of 0.5 EY is an event which would, on average, occur every two years. A 2 EY event is equivalent to a design event with a 6 month Average Recurrence Interval where there is no seasonality, or an event that is likely to occur twice in one year.

The Probable Maximum Flood is the largest flood that could possibly occur on a catchment. It is related to the Probable Maximum Precipitation (PMP). The PMP has an approximate probability. Due to the conservativeness applied to other factors influencing flooding a PMP does not translate to a PMF of the same AEP. Therefore an AEP is not assigned to the PMF.

This report has adopted the approach recommended by ARR and uses % AEP for all events rarer than the 50 % AEP and EY for all events more frequent than this.



Frequency Descriptor	EY	AEP (%)	AEP	
				ARI
	12		(1 in x)	
Very Frequent Frequent	6	99.75	1.002	0.17
	4	98.17	1.002	0.17
	3	95.02	1.05	0.33
	2	86.47	1.16	0.5
	1	63.21	1.58	1
	0.69	50	2	1.44
	0.5	39.35	2.54	2
	0.22	20	5	4.48
	0.2	18.13	5.52	5
Rare	0.11	10	10	9.49
	0.05	5	20	19.5
	0.02	2	50	49.5
Very Rare  Extreme	0.01	1	100	99.5
	0.005	0.5	200	199.5
	0.002	0.2	500	499.5
	0.001	0.1	1000	999.5
	0.0005	0.05	2000	1999.5
	0.0002	0.02	5000	4999.5
			PMP/ PMP Flood	